

Product RANGE

Performance Series | Reference Series | Competition Series



acv / evolve
to create.



Performance SERIES

It's a known industry secret that DLS Performance series give you unsurpassed sound quality in it's price range. The core factors are that good design and a clever choice of materials gives sound performance way beyond what you might expect. Performance series comes as Coaxials, a range of 2-way component kits and some of the markets best sounding 6x9". Solid construction with durable materials guarantees many years of true DLS sound that satisfies even the most hardcore music enthusiast!

M369



Woofer
Tweeter
Power handl.
Impedance

6x9"/156x236mm
20mm soft dome
80W RMS / 120W MAX
4ohm

M3710i



7x10"/180x250mm
20mm mylar dome
120W RMS / 200W MAX
4ohm

M524



4"/100mm
20mm soft dome
60W RMS / 90W MAX
4ohm

M526i



6,5"/165mm
20mm silk dome
50W RMS / 75W MAX
4ohm

M6.2i



Woofer
Tweeter
Power handl.
Impedance

6,5"/165mm
25mm silk dome
60W RMS / 80W MAX
4ohm

MB6.2



6,5"/165mm
25mm soft dome
80W RMS / 100W MAX
4ohm

M225 / M226



5,25"/130mm - 6,5"/165mm
16mm mylar
50W RMS / 75W MAX
4ohm

MC6.2



6,5"/165mm
25mm silk dome
80W RMS / 100W MAX
4ohm

MK6.2i



6,5"/165mm
16mm mylar
55W RMS / 70W MAX
4ohm

Reference SERIES

We know that you'll be surprised with the musical details in our exclusive Reference series speakers. Rich and powerful bass sound combined with crystalclear treble and embracing midrange which really makes you feel the music's soul all through your body and mind. You will find 2- and 3-way systems from 4" to 6,5". Best combined with one of DLS Reference series amplifiers.

RCS5.2



Woofer 5,25"/130mm
Tweeter 25mm silk dome
Power handl. 50W RMS / 90W MAX
Impedance 4ohm

RCS6.2i



6,5"/165mm
25mm silk dome
50W RMS / 90W MAX
4ohm

RC4.2



4"/100mm
25mm silk dome
60W RMS / 100W MAX
4ohm

RC6.2Q



Woofer 6,5"/165mm
Tweeter 28mm silk dome
Power handl. 100W RMS / 150W MAX
Impedance 4ohm

RC25



25mm silk dome
50W RMS / 80W MAX
4ohm

RC50



50mm wide band
50W RMS / 80W MAX
4ohm

Competition SERIES

The new DLS Scandinavia series is the new hi-end series from DLS. The series consist of high quality speaker drivers developed for competition use or for those who have extremely high demands for good car sound.

SCANDINAVIA 30



Woofer
Tweeter
Power handl.
Impedance

30mm soft dome
50W RMS / 200W MAX
4ohm

SCANDINAVIA 75



30mm soft dome
50W RMS / 200W MAX
4ohm

SCANDINAVIA 165



6,5"/165mm
30mm soft dome
50W RMS / 200W MAX
4ohm

SCANDINAVIA 165Wi



6,5"/165mm
30mm soft dome
50W RMS / 200W MAX
4ohm

SCANDCASE 2



Woofer
Tweeter
Power handl.
Impedance

6,5"/165mm
30mm soft dome
50W RMS / 200W MAX
4ohm

SCANDCASE 3



6,5"/165mm
30mm soft dome
50W RMS / 200W MAX
4ohm

UPI 4



4"/100mm
25mm silk dome
80W RMS / 160W MAX
4ohm

UPI 6



6,5"/165mm
28mm silk dome
120W RMS / 200W MAX
4ohm

UPI 36



6,5"/165mm
25mm silk dome
120W RMS / 200W MAX
4ohm

Woofer & ACCESSORIES

With our woofers, you get a sound experience with an extra dimension, a dimension you can feel all the way to your spine. The subs are available in three series, Performance, Reference and Competition. Choose the subwoofer that matches your front system and amplifier.

MCW10



Woofer	10"/250mm
Power handl.	200W RMS / 400W MAX
Impedance	4ohm

MCW12



Woofer	12"/300mm
Power handl.	250W RMS / 500W MAX
Impedance	4ohm

NORDICA 10i



Woofer	10"/250mm
Power handl.	300W RMS / 600W MAX
Impedance	4ohm

NORDICA 12i



Woofer	12"/300mm
Channels / Class	1 / D
Power handl.	300W RMS / 800W MAX
Impedance	4ohm

ACW10



Woofer	10"/250mm / 345x245x65
Channels / Class	1 / D
Power handl.	450W
Impedance	2ohm

HLC4.2



Channels / Class	4
Power handl.	3V RMS output

Amplifier RANGE

DLS Car Audio amplifiers are available in three lines, just as our speakers. The Competition series is our top line. These well-sounding amplifiers are among the best available and are often used for competition. Reference series amplifiers are also used for competition and has a warm nice sound character that pleases most ears. Performance series are beautiful amplifiers suitable for everyone who want good amplifiers at a reasonable price.



P10

Dimensions 320x188x55
Channels 1
Class AB
Watt/ohm 1x450W/2ohm



P20

Dimensions 210x188x55
Channels 2
Class AB
Watt/ohm 2x100W/2ohm



P40

Dimensions 320x188x55
Channels 4
Class AB
Watt/ohm 4x100W/2ohm



P44

Dimensions 400x188x55
Channels 4
Class AB
Watt/ohm 4x140W/2ohm



CCi2

Dimensions 260x129x54
Channels 2
Class AB
Watt/ohm 2x170W/2ohm



CCi4

Dimensions 260x129x54
Channels 4
Class AB
Watt/ohm 4x70W/2ohm



CCi44

Dimensions 320x188x55
Channels 4
Class AB
Watt/ohm 4x100W/2ohm



CCi500

Dimensions 400x188x55
Channels 4
Class AB
Watt/ohm 4x140W/2ohm



CCi1000

Dimensions 370x129x54
Channels 1
Class D
Watt/ohm 1x1100W/1ohm



DD31T

Dimensions 215x103x35
Channels 3
Class D
Watt/ohm 2x125W + 1x350W/2ohm



DD33-40

Dimensions 215x103x35
Channels 3
Class D
Watt/ohm 2x95W + 1x300W/2ohm



acv / evolve
to create.

Sales Germany
+49 2431 / 9645-96
bestellungen@acvgmbh.de

Sales International
+49 2431 / 9645-80
order@acvgmbh.de

Support
+49 2431 / 9645-0
support@acvgmbh.de